

ACCESS



Whether your structure is temporary, semi-permanent or permanent, Mod**Truss** offers a variety code compliant stair, handrail, guardrail and decking options.



In addition, Mod**Truss** features access products tailored specifically for the aerospace industry and the high-level challenges it presents.

TR

EX

PL

JH

PA

HG

MO

RG

AC

HW

TK

MH

FT

GL

Stair Tread

48" Wide




MT-AC-ST-TR-48-30

Standard Material	5052-H32 Aluminum Diamond Plate
Standard Finish	02 - No Finish
Size	5.79" x 48" x 11.81" (146.95mm x 1219.20mm x 299.87mm)
Weight	20.35lbs (9.23kg)
Bolt Hole Size	11/16" (17.46mm)
Recommended Hardware	See ModTruss Connection Guide
Recommended Tools	Tool Kit 1




In Stock




Compatible



Serialized &
Traceable



Made To
Order



ACCESS									
TR	EX	PL	JH	PA	HG	MO	RG	AC	HW
TK	MH	FT	GL						

Stair Stringer

24" x 30° Rise




MT-AC-ST-ST-24-30

Standard Material	A36 Low Carbon Steel
Standard Finish	25- Powder Coated Silver
Available Finish(es)	10-12 Zinc 20-30 Powder Coated
Size	6" x 23.2" x 39.82" (152.40mm x 589.28mm x 1011.43mm)
Weight	32.05lbs (14.54kg)
Bolt Hole Size	11/16" (17.46mm)
Recommended Hardware	See Mod Truss Connection Guide
Recommended Tools	Tool Kit 1




In Stock




Compatible



Serialized &
Traceable




Made To
Order



ACCESS					
TR	EX	PL	JH	PA	HG
MO	RG	AC	HW	TK	MH
FT	GL				


Stair Stringer Caster Mount



Standard Material	A36 Low Carbon Steel
Standard Finish	28- Powder Coated Gloss Yellow
Available Finish(es)	10-12 Zinc 20-30 Powder Coated
Weight	8.15lbs (3.69kg) each with caster
Bolt Hole Size	11/16" (17.46mm)
Recommended Hardware	See ModTruss Connection Guide
Recommended Tools	Tool Kit 1 Adjustable wrench
Note	Caster Sold Separately




In Stock



Compatible




Serialized &
Traceable





Made To
Order


PART NUMBER	DESCRIPTION	QTY.
MT-AC-CM-ST-ST-04-RH	RIGHT HAND PLATE	1
MT-AC-CM-ST-ST-04-LH	LEFT HAND PLATE	1
MT-HW-CA-0080-PH-04-0300-S	SWIVEL CASTER	2
3/8" GRADE 8 SAE WASHER	CASTER MOUNT HARDWARE	16
3/8"-16 GRADE 8 NYLOCK HEX NUT	CASTER MOUNT HARDWARE	8
3/8"-16 X 1.5" GRADE 8 HEX BOLT	CASTER MOUNT HARDWARE	8



MT-AC-CM-ST-ST-06-RH



MT-HW-CA-0080-PH-04-0300-S




	PRECISION LEVEL: MED. = 0.6 (1.59) BRACKET () DIMENSIONS ARE IN MM	
	3/31/2025	REVISION: C

DESCRIPTION

STAIR STRINGER CASTER MOUNT
 MT-AC-CM-ST-ST-06

PART NUMBER:

Ship Stair Assembly



Standard Material	A36 Low Carbon Steel
Standard Finish	24 Gray Anti-Slip Powder Coat
Available Finish(es)	20-30 Powder Coat
Bolt Hole Size	11/16" (17.46mm)
Recommended Hardware	See Mod Truss Connection Guide
Recommended Tools	Tool Kit 1


Part # Description	Weight
MT-AC-ST-SL-TR-50-70-3600 36" Wide Mid Treads	12.75lbs (5.78kg)
MT-AC-ST-SL-PL-50-70 Top Tread Mounting Assembly	4.40lbs (2kg)
MT-AC-ST-SL-HR-50-70 (LH/RH) Handrail Mount Assembly	3.65lbs (166kg)



In Stock



Compatible


Serialized &
Traceable

Made To
Order

PART NUMBER	DESCRIPTION	QTY.
MT-AC-ST-SL-TR-50-70-3550-T	TOP TREAD	1
MT-TR-03-03-015-ST	TRUSS, 3" x 3" x 15"	2
MT-AC-ST-SL-PL-50-70	MOUNTING PLATES	4

MT-AC-ST-SL-PL-50-70
TOP TREAD MOUNTING ASSEMBLY

PART NUMBER	DESCRIPTION	QTY.
MT-AC-ST-SL-HR-50-70-RH	RIGHT HANDRAIL MOUNTING PLATE	1
MT-AC-ST-SL-HR-50-70-LH	LEFT HANDRAIL MOUNTING PLATE	1

MT-AC-ST-SL-HR-50-70(LH/RH)
HANDRAIL MOUNT ASSEMBLY

BRACKET [] DIMENSIONS ARE IN MM

11/11/2024

REVISION: A

DESCRIPTION:
SHIP LADDER STAIR

PART NUMBER:
MT-AC-ST-SL-50-70

MT-AC-ST-SL-TR-50-70-3600
36" WIDE MID TREADS

3" TRUSS PER REQUESTED RISE AND RUN

36" Wide Adjustable Rise and Run Stair Assembly




MT-AC-ST-AJ-30-50-036-XX

Standard Material	Rails ATSM A500 Grade B Steel Treads Galvanized Steel
Size	36" (914.40mm) Wide Stair Tread, Height and Length Per Order
Bolt Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2.5" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 64mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1



In Stock



Compatible



Serialized &
Traceable



Made To
Order

TR

EX

PL

JH

PA

HG

MO

RG

AC


HW

TK


MH

FT

GL



18" Ladder Rung




MT-AC-LR-1800-0900-0450

Standard Material	A36 Low Carbon Steel
Standard Finish	25- Silver Powder Coated
Available Finish(es)	10-12 Zinc 20-30 Powder Coated
Size	18" x 9" x 4.5" (457.20mm x 228.60mm x 114.30mm)
Weight	17.10lbs (273.60kg)
Hole Size	1 1/16" (17.46mm)
Recommended Hardware	See ModTruss Connection Guide
Recommended Tools	Tool Kit 1




In Stock




Compatible



Serialized &
Traceable



Made To
Order



ModPanels with 1" Plywood




MT-AC-MP-06-XXX-XXX

Standard Material	5052-H32 Aluminum and 1" Plywood
Standard Finish	01- Brush Finish and 95 - Enamel Satin Black
Available Finish(es)	01- Brush
Bolt Hole Size	11/16" (17.46mm)
Load Rating	150 PSF
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1

Part # Description	Size	Weight
MT-AC-MP-06-048-048 48" x 48" ModPanel	48" x 48" x 6" (1219.20mm x 1219.20mm x 152.40mm)	67.40lbs (30.57kg)* Weight Variance of +/- 2.5lbs
MT-AC-MP-06-048-096 48" x 96" ModPanel	48" x 96" x 6" (1219.20mm x 2438.4mm x 152.40mm)	154.20lbs (69.94kg)* Weight Variance of +/- 5lbs



In Stock




Compatible



Serialized &
Traceable



Made To
Order




Steel ModPlank- 12" Wide




MT-AC-MP-03-12-XXX

Standard Material	A36 Low Carbon Steel
Standard Finish	24 Gray Anti-Slip Powder Coated
Available Finish(es)	20-30 Powder Coated
Bolt Hole Size	11/16" (17.46mm)
Load Rating	175 PSF over 10' span
Recommended Hardware	See ModTruss Connection Guide
Recommended Tools	Tool Kit 1

Part # Description	Size	Weight
MT-AC-MP-03-12-012	3" x 12" x 12" (76.20mm x 76.20mm x 304.80mm)	8.65lbs (2.22kg)
MT-AC-MP-03-12-024	3" x 12" x 24" (76.20mm x 76.20mm x 609.60mm)	17.31lbs (7.85kg)
MT-AC-MP-03-12-036	3" x 12" x 36" (76.20mm x 76.20mm x 914.40mm)	25.96lbs (11.77kg)
MT-AC-MP-03-12-048	3" x 12" x 48" (76.20mm x 76.20mm x 1219.2mm)	34.61lbs (15.70kg)
MT-AC-MP-03-12-060	3" x 12" x 60" (76.20mm x 76.20mm x 1524.0mm)	43.27lbs (19.63kg)
MT-AC-MP-03-12-072	3" x 12" x 72" (76.20mm x 76.20mm x 1828.8mm)	51.92lbs (23.55kg)
MT-AC-MP-03-12-084	3" x 12" x 84" (76.20mm x 76.20mm x 2133.6mm)	60.57lbs (27.47kg)
MT-AC-MP-03-12-096	3" x 12" x 96" (76.20mm x 76.20mm x 2438.4mm)	69.22lbs (31.40kg)
MT-AC-MP-03-12-108	3" x 12" x 108" (76.20mm x 76.20mm x 2743.2mm)	77.88lbs (35.33kg)
MT-AC-MP-03-12-120	3" x 12" x 120" (76.20mm x 76.20mm x 3048.0mm)	86.53lbs (39.25kg)



In Stock




Compatible




Serialized &
Traceable



Made To
Order



ModPlank End Cap




MT-AC-MP-03-12-ST-EC

Standard Material	A36 Low Carbon Steel
Standard Finish	23- Powder Coat Light Gray
Available Finish(es)	10-12 Zinc 20-30 Powder Coated
Weight	2.0lbs (0.91kg)
Bolt Hole Size	11/16" (17.46mm)
Recommended Hardware	1/4"-20 Thread Grade Bolt, 5/8" Long, 1/4 SAE Washer, 1/4" - 20 Thread Hex Nut
Recommended Tools	Tool Kit 1




In Stock




Compatible



Serialized &
Traceable




Made To
Order



AeroSlider



MT-AC-MP-03-12-SLD-XXX-XXX




Standard Material	A36 Low Carbon Steel
Standard Finish	24 Gray Anti-Slip Powder Coated
Available Finish(es)	20-30 Powder Coated
Bolt Hole Size	1/2" Countersunk (12.70mm), 1/4" (6.35mm)
Recommended Hardware	7/16" - 14 Thread Grade 8 Bolt, 1.5" Long 7/16" SAE Zinc-Plated Washer 7/16"-14 Thread, Grade 8 Hex Nut (M12 x 1.75 Thread, 400mm Long, Class 10.9 Bolt M12, Class 10.9 Washer M12 x 1.75 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1 6 Hex Key Wrench Cluster

Part # Description	Size
MT-AC-MP-03-12-SLD-120-012	3.0" x 11.94" x 120.0" x 12.0" (76.20mm x 303.21mm x 3048.0mm x 304.80mm)
MT-AC-MP-03-12-SLD-120-024	3.0" x 11.94" x 120.0" x 24.0" (76.20mm x 303.21mm x 3048.0mm x 609.60mm)
MT-AC-MP-03-12-SLD-120-036	3.0" x 11.94" x 120.0" x 36.0" (76.20mm x 303.21mm x 3048.0mm x 914.40mm)
MT-AC-MP-03-12-SLD-120-048	3.0" x 11.94" x 120.0" x 48.0" (76.20mm x 303.21mm x 3048.0mm x 1219.20mm)
MT-AC-MP-03-12-SLD-108-012	3.0" x 11.94" x 108.0" x 12.0" (76.20mm x 303.21mm x 2743mm x 304.80mm)
MT-AC-MP-03-12-SLD-108-024	3.0" x 11.94" x 108.0" x 24.0" (76.20mm x 303.21mm x 2743mm x 609.60mm)
MT-AC-MP-03-12-SLD-108-036	3.0" x 11.94" x 108.0" x 36.0" (76.20mm x 303.21mm x 2743mm x 914.40mm)
MT-AC-MP-03-12-SLD-108-048	3.0" x 11.94" x 108.0" x 48.0" (76.20mm x 303.21mm x 2743mm x 1219.20mm)
MT-AC-MP-03-12-SLD-096-012	3.0" x 11.94" x 96.0" x 12.0" (76.20mm x 303.21mm x 2743mm x 304.80mm)
MT-AC-MP-03-12-SLD-096-024	3.0" x 11.94" x 96.0" x 24.0" (76.20mm x 303.21mm x 2743mm x 609.60mm)
MT-AC-MP-03-12-SLD-096-036	3.0" x 11.94" x 96.0" x 36.0" (76.20mm x 303.21mm x 2743mm x 914.40mm)
MT-AC-MP-03-12-SLD-096-048	3.0" x 11.94" x 96.0" x 48.0" (76.20mm x 303.21mm x 2743mm x 1219.20mm)
MT-AC-MP-03-12-SLD-084-012	3.0" x 11.94" x 84.0" x 12.0" (76.20mm x 303.21mm x 2743mm x 304.80mm)
MT-AC-MP-03-12-SLD-084-024	3.0" x 11.94" x 84.0" x 24.0" (76.20mm x 303.21mm x 2743mm x 609.60mm)
MT-AC-MP-03-12-SLD-084-036	3.0" x 11.94" x 84.0" x 36.0" (76.20mm x 303.21mm x 2743mm x 914.40mm)
MT-AC-MP-03-12-SLD-084-048	3.0" x 11.94" x 84.0" x 48.0" (76.20mm x 303.21mm x 2743mm x 1219.20mm)
MT-AC-MP-03-12-SLD-072-012	3.0" x 11.94" x 72.0" x 12.0" (76.20mm x 303.21mm x 2743mm x 304.80mm)
MT-AC-MP-03-12-SLD-072-024	3.0" x 11.94" x 72.0" x 24.0" (76.20mm x 303.21mm x 2743mm x 609.60mm)
MT-AC-MP-03-12-SLD-072-036	3.0" x 11.94" x 72.0" x 36.0" (76.20mm x 303.21mm x 2743mm x 914.40mm)
MT-AC-MP-03-12-SLD-072-048	3.0" x 11.94" x 72.0" x 48.0" (76.20mm x 303.21mm x 2743mm x 1219.20mm)
MT-AC-MP-03-12-SLD-060-012	3.0" x 11.94" x 60.0" x 12.0" (76.20mm x 303.21mm x 2743mm x 304.80mm)
MT-AC-MP-03-12-SLD-060-024	3.0" x 11.94" x 60.0" x 24.0" (76.20mm x 303.21mm x 2743mm x 609.60mm)
MT-AC-MP-03-12-SLD-060-036	3.0" x 11.94" x 60.0" x 36.0" (76.20mm x 303.21mm x 2743mm x 914.40mm)
MT-AC-MP-03-12-SLD-048-012	3.0" x 11.94" x 48.0" x 12.0" (76.20mm x 303.21mm x 2743mm x 304.80mm)
MT-AC-MP-03-12-SLD-048-024	3.0" x 11.94" x 48.0" x 24.0" (76.20mm x 303.21mm x 2743mm x 609.60mm)
MT-AC-MP-03-12-SLD-036-012	3.0" x 11.94" x 36.0" x 12.0" (76.20mm x 303.21mm x 2743mm x 304.80mm)



In Stock




Compatible



Serialized &
Traceable



Made To
Order




Decorative Handrail Steel (No Insert)




MT-AC-HR-DP-41-XXX

Standard Material	A36 Low Carbon Steel
Standard Finish	25- Silver Powder Coated
Available Finish(es)	20-30 Powder Coated
Size	41" x User Defined Length x 0.31" (1041.4mm x User Defined Length x 7.87mm)
Weight	Varies per Length
Hole Size	1/2" (12.7mm)
Recommended Hardware	See ModTruss Connection Guide
Recommended Tools	Tool Kit 1



In Stock




Compatible



Serialized &
Traceable



Made To
Order



PART NUMBER	WIDTH INCHES	WIDTH [MM]
MT-AC-HR-DP-41-024	24"	609.60
MT-AC-HR-DP-41-036	36"	914.40
MT-AC-HR-DP-41-048	48"	1219.20
MT-AC-HR-DP-41-060	60"	1524.00
MT-AC-HR-DP-41-072	72"	1828.80
MT-AC-HR-DP-41-084	84"	2133.60
MT-AC-HR-DP-41-096	96"	2438.40

BRACKET [] DIMENSIONS ARE IN MM

11/8/2024


REVISION: A

DESCRIPTION:
DECORATIVE HANDRAIL FRAME

PART NUMBER:
MT-AC-HR-DP-41-XXX


TR	EX	PL	JH	PA	HG	MO	RG	AC	HW	TK	MH	FT	GL
ACCESS													

Polycarbonate Handrail Insert




MT-AC-HR-DP-41-XXX_06

Standard Material	Polycarbonate
Standard Finish	02 - No Finish
Size	Varies per Length
Weight	Varies per Length
Hole Size	1/2" (12.7mm)
Recommended Hardware	See ModTruss Connection Guide
Recommended Tools	Tool Kit 1 9/16" Combination Wrench and Socket
Note	Graphics not Included



In Stock



Compatible



Serialized &
Traceable



Made To
Order

TR

EX

PL

JH

PA

HG

MO

RG

AC


HW

TK


MH

FT

GL



Decorative Handrail Mount




Standard Material	A36 Low Carbon Steel
Standard Finish	25 - Powder Coated Silver
Available Finish(es)	10-12 Zinc 20-30 Powder Coated
Bolt Hole Size	11/16" (17.46mm)
Recommended Hardware	See Mod Truss Connection Guide
Recommended Tools	Tool Kit 1

Part # Description	Size	Weight
MT-AC-HR-DP-SM-26	2.56" x 25.50" x 2.25" (65.02mm x 647.70mm x 57.15mm)	10.0lbs (4.54kg)
MT-AC-HR-DP-SM-20	2.56" x 11.00" x 2.25" (65.02mm x 279.40mm x 57.15mm)	7.75lbs (3.51kg)




In Stock



Compatible



Serialized &
Traceable




Made To
Order



PART NUMBER	DESCRIPTION	QTY.
MT-AC-HR-DP-SM-26_01	SIDE MOUNT BRACKET	1
1/2"-13 X 3.5" GRADE 5 HEX BOLT	GUARDRAIL THROUGH BOLT	1
1/2" SAE GRADE 5 WASHER	GUARDRAIL THROUGH BOLT	2
1/2"-13 GRADE 5 HEX NUT	GUARDRAIL THROUGH BOLT	1
1/2" X 2.75" USABLE LENGTH CLEVIS PIN	GUARDRAIL SHELF PIN	1

PART NUMBER	DESCRIPTION	QTY.
MT-AC-HR-DP-SM-20_01	SIDE MOUNT BRACKET	1
1/2"-13 X 3.5" GRADE 5 HEX BOLT	GUARDRAIL THROUGH BOLT	1
1/2" SAE GRADE 5 WASHER	GUARDRAIL THROUGH BOLT	2
1/2"-13 GRADE 5 HEX NUT	GUARDRAIL THROUGH BOLT	1
1/2" X 2.75" USABLE LENGTH CLEVIS PIN	GUARDRAIL SHELF PIN	1

MT-AC-HR-DP-SM-26



MT-AC-HR-DP-SM-20



	PRECISION LEVEL - MED. ±0.4 (1.59) BRACKET (1) DIMENSIONS ARE IN MM
DESCRIPTION: DECORATIVE GUARDRAIL SIDE MOUNTS	4/1/2025 REVISION: A
PART NUMBER: MT-AC-HR-DP-SM-XX	

Speed Rail Fittings for 1.5" Schedule 40 Pipe



MT-AC-HC-WYE-S-0150



MT-AC-HC-TES-F-0150



MT-AC-HC-CNR-S-0150



MT-AC-HC-INT-S-0150



MT-AC-HC-INT-F-0150



MT-AC-HC-INS-F-0150



MT-AC-HC-ELT-S-0150



MT-AC-HC-ELT-F-0150



MT-AC-HC-ELB-F-0150



MT-AC-HC-TEE-F-0150



MT-AC-HC-PNH-F-0150




MT-AC-HC-CAP-F-0150

Part # Description	Size	Weight
MT-AC-HC-WYE-S-0150	1.5" 540 Adjustable WYE	0.85lbs (0.38kg)
MT-AC-HC-TES-F-0150	1.5" 540 Fixed Tee	0.60lbs (0.27kg)
MT-AC-HC-CNR-S-0150	1.5" 540 Adjustable 2-Socket Elbow	1.30lbs (0.58kg)
MT-AC-HC-INT-S-0150	1.5" 540 Adjustable 4-Way Angle Cross	1.50lbs (0.68kg)
MT-AC-HC-INT-F-0150	1.5" 540 4-Way Cross Tee	0.55lbs (0.29kg)
MT-AC-HC-INS-F-0150	1.5" 540 Straight Connect	0.55lbs (0.24kg)
MT-AC-HC-ELT-S-0150	1.5" 540 Adjustable Elbow w/ Thru Hole	1.25lbs (0.56kg)
MT-AC-HC-ELT-F-0150	1.5" 540 Elbow w/ Pass-thru	0.50lbs (0.22kg)
MT-AC-HC-ELB-F-0150	1.5" 540 Fixed Elbow	0.75lbs (0.34kg)
MT-AC-HC-TEE-F-0150	1.5" 540 Tee Thru Hole	0.50lbs (0.22kg)
MT-AC-HC-PNH-F-0150	1.5" 540 Panel Hanger	0.30lbs (0.14kg)
MT-AC-HC-CAP-F-0150	1.5" Schedule 40 End Cap	0.10lbs (0.04kg)




In Stock















Compatible



Serialized &
Traceable



Made To
Order

MT-AC-HC-WYE-S-0150	MT-AC-HC-TES-F-0150	MT-AC-HC-CNR-S-0150	MT-AC-HC-INT-S-0150	MT-AC-HC-INT-F-0150	MT-AC-HC-INS-F-0150
  	  	  	  	  	  
MT-AC-HC-ELT-S-0150	MT-AC-HC-ELT-F-0150	MT-AC-HC-ELB-F-0150	MT-AC-HC-TEE-F-0150	MT-AC-HC-PNH-F-0150	MT-AC-HC-CAP-F-0150
  	  	  	  	  	  
PRECISION LEVEL: MED. +0.04 (-1.59) BRACKET () DIMENSIONS ARE IN MM 9/19/2018 REVISION: V1 DESCRIPTION: 1.5" SPEED RAIL FITTINGS PART NUMBER: MT-AC-HC-XXX-X-0150					

4" Toe Board Corner Plate




MT-AC-TB-PL-0400-0200-090

Standard Material	A36 Low Carbon Steel
Standard Finish	28- Powder Coated Gloss Yellow
Available Finish(es)	10-12 Zinc 20-30 Powder Coat
Weight	0.50lbs (0.23kg)
Recommended Hardware	5/16"-18 grade 5 washer 5/16"-18 X 7/8" Grade 5 Socket Head 5/16"-18 grade 5 nylock nut
Recommended Tools	Tool Kit 1 Adjustable Wrench




In Stock



Compatible



Serialized &
Traceable



Made To
Order

TR

EX

PL

JH

PA

HG

MO

RG

AC

HW





TK

MH

FT


GL

PART NUMBER	DESCRIPTION	QTY.
MT-AC-TB-PL-0400-0200-090	YELLOW CORNER BRACKET	1
5/16"-18 GRADE 5 WASHER	Zinc-Plated Steel SAE Washer	8
5/16"-18 X 7/8" GRADE 5 SOCKET HEAD	Zinc-Plated Alloy Steel Socket Head Screw	4
5/16"-18 GRADE 5 NYLOCK NUT	Steel Nylon-Insert Locknut	4



 ModTruss ^{INC}	PRECISION LEVEL - MED. ±.04 (1.58) BRACKET () DIMENSIONS ARE IN MM
DESCRIPTION: 4" TOE BOARD CORNER PLATE	3/31/2025 REVISION: A
PART NUMBER: MT-AC-TB-PL-0400-0200-090	

Toe Board Mount Bar for T-Slot Pipe




MT-AC-TB-UHMW-0925

Standard Material	HDPE Plastic
Size	9.25" x 1.25" (234.95mm x 31.75mm)
Weight	0.20lbs (0.09kg)
Length	Product stocked in 12' lengths
Recommended Hardware	(2) 3/8"x1" Flanged Hex Head Screws




In Stock



Compatible



Serialized &
Traceable



Made To
Order

PART NUMBER		DESCRIPTION	QTY.
MT-AC-TB-UHMW-0925		TOE BOARD MOUNTING BAR	1
3/8" X 1" FLANGED HEAD HEX SCREW		Flanged Hex Head Screws for Sheet Metal	2

PRECISION LEVEL - MED. ±.04 (1.5%)
BRACKET () DIMENSIONS ARE IN MM


7/17/2024

REVISION: A

DESCRIPTION:
TOE BOARD MOUNTING BAR

PART NUMBER:
MT-AC-TB-UHMW-0925

Post and Chain Plate




MT-AC-HC-PL-0150-03-PC

Standard Material	5052 - H32 Aluminum
Standard Finish	02- No Finish
Available Finish(es)	03 - Tumbled & Deburred
Hole Size	11/16" (17.46mm)
Weight	0.10lbs (0.05kg)
Recommended Hardware	See ModTruss Connection Guide
Recommended Tools	Tool Kit 1




In Stock



Compatible




Serialized &
Traceable




Made To
Order

PART NUMBER	DESCRIPTION	QTY
MT-AC-HC-PL-0150-03-PC	POST AND CHAIN PLATE	1
MT-HW-SH-0025-0031-0184-ZIP-OQL	OVAl THREAD LOCK QUICK LINK RING	2

MT-AC-HC-PL-0150-03-PC



MT-HW-SH-0025-0031-0184-ZIP-OQL



 ModTruss [™] INC.	BRACKET [] DIMENSIONS ARE IN MM	
	11/12/2024	REVISION: A
DESCRIPTION: POST AND CHAIN PLATE		
PART NUMBER: MT-AC-HC-PL-0150-03-PC		